

## LABORATORY

# 840DC SERIES LABORATORY SEATING

All 840 series chairs are designed for the harshest environments. They have an all-steel inner frame, are wrapped in self-skin urethane, and are impervious to harsh chemicals.

### 840DC Features:

- Single lever adjustment release
- Pneumatic height adjustment
- Standard back rest with vertical adjustment
- Impact-resistant
- Seat tilt and back tilt
- Standard 20 inch (50.80 cm) footring
- High density fire resistant foam impervious to harsh chemicals
- Available in black urethane only

 [840DC Options Detail and Photos](#)

Product Info:


 [841DC](#)  [842DC](#)  [843DC](#)  [848DC](#)

### 840DC Options:

base with standard seat height	item no <sup>1</sup>	with arm rest <sup>2</sup>
<b>Black Nylon Composite</b>	841DC-xx	841DC-T-xx
<b>Brushed Aluminum</b> <i>and Toe Caps</i>	842DC-xx	842DC-T-xx
<b>Polished Aluminum</b>	843DC-xx	843DC-T-xx
<b>Five Leg Tubular Steel<sup>4</sup></b> <i>Footring and Glides</i>	878DC-xx	878DC-T-xx

options available at additional cost

### 840 Specifications:

	inch	cm		inch	cm		
<b>Seat Width</b>	18.00	45.72	<b>Back Width</b>	16.00	40.64	<b>Seat &amp; Back substrate</b>	steel
<b>Seat Depth</b>	17.00	43.18	<b>Back Height</b>	12.00	30.48	<b>Seat &amp; Back cover material</b>	urethane
<b>Overall Height with backrest -low</b>	37.50	97.79	<b>Base Diameter with casters</b>	24.00	60.96		lb kg
<b>Overall Height with backrest -high</b>	48.00	124.46	<b>Height Adjustment method</b>	pneumatic		<b>Weight Capacity EVENLY DISTRIBUTED</b>	350 158.76
<b>Height Release hardware</b>	lever		<b>Back Adjustment direction</b>	height		<b>Shipping Weight</b>	45 20.41

Adjustable Height Seat <sup>++</sup>		inch	cm	inch	cm		
<b>Standard</b>	84xDC-xx	<b>Seat Height -low</b>	22.50	57.15	<b>Seat Height -high</b>	33.00	83.82
<b>7 [seven]</b>	84xDC-7-xx	<b>Seat Height -low</b>	18.50	46.99	<b>Seat Height -high</b>	25.50	64.77

<sup>+</sup> -xx in the product number is the placeholder for vinyl choice <sup>†</sup> Replacement Cylinders may be ordered separately at additional cost <sup>‡</sup> Specification Variances  
<sup>1</sup> Submit COM sample for approval <sup>4</sup> 20 inch (50.80cm) footring; casters add 2" (5.08 cm) in height  
<sup>‡</sup> Ships: Ground at no additional charge

item	inch	cm	height	ship weight
			lb	kg
841	—	—	-1	-0.45
842	-1	-2.54	—	—
848	+2	+5.08	+4	+1.81

